

Table. (continued)

Reference (Year)	Age, mo	No. of Months Since VZV Vaccination	Dermatomal Pattern of HZ	Wild-Type Vaccine Strain	Oka Vaccine Strain	Treatment	Symptoms
Levin et al ¹⁰ (2008)	96	84	Thoracic	0	1	IV acyclovir 15 mg/kg 3 times daily for 2 d	Meningoencephalitis
Obieta and Jacinto ³ (2008)	15	2	Sacral	Not tested	Not tested	Acyclovir 30 mg/kg (unknown route) for 14 d	Afebrile
Ota et al ⁴ (2008)	28	3	Thoracic	0	1	No antiretroviral	Afebrile, painful
Iyer et al ¹¹ (2009)	108	96	Cervical	0	1	IV acyclovir 500 mg/m ² 3 times daily for 10 d	Meningoencephalitis
Lin et al ¹² (2009)	192	106	V1	Not tested	Not tested	Oral acyclovir 800 mg 5 times daily for 14 d with prednisolone acetate 1% ophthalmic drops	Afebrile, HZ ophthalmic
Chouliaras et al ¹³ (2010)	42	20	V1	0	1	NA	Encephalitis, HZ ophthalmic
Han et al ¹⁴ (2011)	84	72	Cervical	0	1	IV acyclovir 10 mg/kg 3 times daily for 21 d	Afebrile, painful
Ryu et al ¹⁵ (2014)	156	144	Cervical	Not tested	Not tested	IV acyclovir 250 mg 3 times daily for 7 d + oral prednisone 25 mg daily for 2 wk	No history of varicella; HZ ophthalmic and isolated trochlear nerve palsy
Iwasaki et al ¹⁶ (2016)	27	10	V1	0	1	IV acyclovir 10 mg/kg 3 times daily for 7 d	Afebrile
Peterson et al ¹⁷ (2016)	15	3	V1	Not tested	Not tested	Oral acyclovir 200 mg 4 times daily for 7 d	HZ ophthalmic
Current case	19	13	Sacral	Not tested	Not tested	Oral acyclovir 20 mg/kg 4 times daily for 7 d	Febrile

Abbreviations: HZ, herpes zoster; VZV, varicella-zoster virus; V1, first division of the trigeminal nerve; NA, not available; NR, not reported; IV, intravenous.

