

## Appendix Table 1: All adjusted model results

Models are presented in columns. The unshaded column is the estimate, the two adjacent shaded columns that estimate's 95% confident interval. The top row, bolded and in color, indicates the outcome. The type of model and whether the estimates are odds ratios (for generalized logistic regression) or coefficients (for generalized least squares) are reported in the third row of the column. Multiple parameterizations are shown in order to allow the reader to assess for consistency, as theory and past work in COVID19 are insufficient to specify a single best model. All models are presented as hypothesis-generating, not for causal inference.

<b>1A: Any New Cardiopulmonary Symptom</b>										
Model Type	Logistic									
This table reports	Odds Ratios									
Hospital Adjustment	Random Effects									
Female	vs male	2.07	1.21	3.55	2.15	1.25	3.70	2.24	1.29	3.90
Age	per 10 y	0.91	0.78	1.07	1.28	0.62	2.64	1.20	0.57	2.56
Age-Squared					0.97	0.90	1.04	0.97	0.90	1.04
Race										
Non-Hispanic Black	vs Non-Hispanic White	0.31	0.12	0.80	0.30	0.12	0.78	0.31	0.12	0.83
Hispanic	vs Non-Hispanic White	0.39	0.22	0.71	0.38	0.21	0.69	0.38	0.21	0.71
Unknown or Other	vs Non-Hispanic White	0.70	0.18	2.68	0.69	0.18	2.67	0.70	0.18	2.76
Length of Stay	per week							1.82	1.11	2.98
Discharge to Home	vs all other							0.82	0.39	1.71

1B: Any New Disability													
Model Type	Logistic												
This table reports	Odds Ratios												
Hospital Adjustment	Random Effects												
Female	vs male	2.35	1.27	4.33	2.35	1.27	4.35	2.43	1.30	4.55	2.03	1.07	3.84
Age	per 10 y	1.34	1.11	1.62	1.36	0.56	3.30	1.11	0.44	2.76	1.14	0.45	2.90
Age-Squared					1.00	0.92	1.09	1.02	0.93	1.11	1.02	0.93	1.12
Race													
Non-Hispanic Black	vs Non-Hispanic White	1.15	0.37	3.49	1.14	0.38	3.49	1.24	0.40	3.84	1.46	0.46	4.65
Hispanic	vs Non-Hispanic White	0.20	0.09	0.41	0.20	0.09	0.41	0.20	0.09	0.42	0.24	0.11	0.52
Unknown or Other	vs Non-Hispanic White	1.21	0.28	5.3	1.21	0.28	5.27	1.31	0.29	5.83	1.34	0.29	6.11
Length of Stay	per week							2.07	1.21	3.53	1.96	1.11	3.44
Discharge to Home	vs all other							1.28	0.56	2.93	1.31	0.55	3.11
Any New Symptom	vs none										2.08	1.10	3.93

1C: Change in Disability Score													
Model Type	Least Squares												
This table reports	Coefficients												
Hospital Adjustment	Random Effects												
Female	vs male	-0.55	-1.18	0.08	-0.53	-1.17	0.10	-0.56	-1.19	0.08	-0.38	-1.02	0.26
Age	per 10 y	-0.25	-0.44	-0.06	-0.08	-0.95	0.79	0.00	-0.89	0.89	0.03	-0.86	0.91
Age-Squared					-0.02	-0.10	0.07	-0.02	-0.11	0.06	-0.03	-0.11	0.06
Race													
Non-Hispanic Black	vs Non-Hispanic White	0.23	-0.88	1.34	0.22	-0.89	1.33	0.11	-1.02	1.24	-0.08	-1.21	1.05
Hispanic	vs Non-Hispanic White	0.90	0.20	1.60	0.88	0.18	1.59	0.84	0.14	1.55	0.56	-0.17	1.28
Unknown or Other	vs Non-Hispanic White	-0.84	-2.48	0.80	-0.84	-2.48	0.80	-0.86	-2.50	0.78	-0.90	-2.52	0.72
Length of Stay	per week							-0.49	-0.99	0.00	-0.42	-0.93	0.09
Discharge to Home	vs all other							0.07	-0.77	0.91	0.09	-0.76	0.94
Any New Symptom	vs none										-0.74	-1.40	-0.08

1D: Self-Reported Degree of Recovery														
Model Type	Least Squares													
This table reports	Coefficients													
Hospital Adjustment	Random Effects													
Female	vs male	-6.52	-11.4	-1.67	-7.03	-11.9	-2.15	-7.70	-12.4	-2.95	-5.55	-10.3	-0.85	
Age	per 10 y	-2.37	-3.82	-0.92	-7.45	-14.1	-0.79	-6.72	-13.3	-0.09	-6.45	-13.0	0.06	
Age-Squared					0.48	-0.14	1.10	0.46	-0.16	1.09	0.40	-0.22	1.02	
Race														
Non-Hispanic Black	vs Non-Hispanic White	2.25	-6.39	10.88	2.61	-6.01	11.24	2.69	-5.84	11.22	-0.30	-8.64	8.03	
Hispanic	vs Non-Hispanic White	5.14	-0.27	10.56	5.67	0.23	11.11	5.16	-0.12	10.43	2.44	-2.86	7.74	
Unknown or Other	vs Non-Hispanic White	-2.46	-14.8	9.84	-2.42	-14.7	9.85	-2.51	-14.4	9.38	-3.39	-14.9	8.10	
Length of Stay	per week							-7.52	-11.2	-3.81	-5.90	-9.64	-2.17	
Discharge to Home	vs all other							2.47	-3.75	8.68	2.45	-3.72	8.62	
Any New Symptom	vs none										-11.6	-16.5	-6.82	

1E: Changed or Lost Job													
Model Type	Logistic												
This table reports	Odds Ratios												
Hospital Adjustment	Random Effects												
Female	vs male	0.65	0.34	1.24	0.72	0.37	1.40	0.72	0.37	1.41	0.77	0.39	1.54
Age	per 10 y	0.98	0.81	1.19	3.00	0.86	10.43	3.02	0.86	10.61	2.92	0.82	10.33
Age-Squared					0.90	0.80	1.01	0.90	0.80	1.01	0.90	0.80	1.01
Race													
Non-Hispanic Black	vs Non-Hispanic White	1.23	0.41	3.71	1.18	0.39	3.57	1.31	0.42	4.06	1.18	0.37	3.73
Hispanic	vs Non-Hispanic White	1.17	0.57	2.39	1.07	0.52	2.22	1.15	0.55	2.41	1.06	0.50	2.25
Unknown or Other	vs Non-Hispanic White	2.67	0.67	10.60	2.79	0.69	11.35	2.93	0.71	12.05	2.86	0.69	11.82
Length of Stay	per week							1.51	0.94	2.41	1.59	0.98	2.58
Discharge to Home	vs all other							0.63	0.27	1.44	0.62	0.27	1.44
Any New Symptom	vs none										0.67	0.34	1.33

1F: Caregiver Took Time Off													
Model Type	Logistic												
This table reports	Odds Ratios												
Hospital Adjustment	Random Effects												
Female	vs male	1.09	0.64	1.86	1.12	0.65	1.93	1.17	0.68	2.01	1.11	0.64	1.94
Age	per 10 y	0.86	0.73	1.01	1.24	0.57	2.68	1.24	0.56	2.77	1.20	0.53	2.70
Age-Squared					0.96	0.90	1.04	0.96	0.89	1.04	0.97	0.89	1.05
Race													
Non-Hispanic Black	vs Non-Hispanic White	1.48	0.58	3.77	1.44	0.56	3.67	1.26	0.48	3.31	1.36	0.51	3.63
Hispanic	vs Non-Hispanic White	1.46	0.79	2.68	1.40	0.76	2.59	1.41	0.76	2.62	1.50	0.80	2.84
Unknown or Other	vs Non-Hispanic White	1.79	0.48	6.64	1.77	0.48	6.55	1.73	0.46	6.46	1.77	0.47	6.65
Length of Stay	per week							1.20	0.78	1.85	1.17	0.75	1.82
Discharge to Home	vs all other							0.92	0.43	1.95	0.92	0.44	1.96
Any New Symptom	vs none										1.36	0.76	2.41

1G: Used Up Savings														
Model Type	Logistic													
This table reports	Odds Ratios													
Hospital Adjustment	Random Effects													
Female	vs male	0.85	0.46	1.58	1.03	0.54	1.95	1.02	0.53	1.93	0.89	0.46	1.74	
Age	per 10 y	0.90	0.75	1.08	5.89	1.48	23.49	6.02	1.46	24.84	5.55	1.34	23.00	
Age-Squared					0.83	0.73	0.95	0.83	0.72	0.95	0.84	0.73	0.96	
Race														
Non-Hispanic Black	vs Non-Hispanic White	2.96	1.09	8.04	2.84	1.02	7.89	2.95	1.05	8.30	3.97	1.36	11.58	
Hispanic	vs Non-Hispanic White	2.68	1.35	5.32	2.49	1.24	4.99	2.48	1.24	4.97	3.21	1.54	6.68	
Unknown or Other	vs Non-Hispanic White	4.15	1.09	15.79	4.47	1.13	17.66	4.50	1.13	17.85	5.22	1.27	21.39	
Length of Stay	per week							0.86	0.50	1.47	0.81	0.47	1.42	
Discharge to Home	vs all other							1.00	0.41	2.44	1.00	0.40	2.48	
Any New Symptom	vs none										2.21	1.11	4.42	